## **MINUTES**

The 361<sup>th</sup> Virtual Emergent Meeting of Eastern Regional Committee (ERC), National Council for Teacher Education was convened on 11 March, 2025 at Conference Hall, ERC, NCTE, Dwarka Sector-10, New Delhi-110075. The Chairperson, Members and Convener as listed below were present in the meeting: -

Sl. No.	Name of the Member	Designation	Mode
1.	Dr. Dibyajyoti Mahanta	Chairperson	Virtual
2.	Prof. Subhash Chandra Panda	Member	Virtual
3.	Prof. Bikali Charan Das	Member	Virtual
4.	Prof. Premlata Maisnam	Member	Virtual
5.	Prof. Kaushal Kishore	Member	Virtual
6.	Prof. Jayanta Kr. Sarmah	Representative, Govt. of Assam	Virtual
7.	Shri Uttam Mitra	Representative, Govt. of Tripura	Virtual
8.	Sh. Joydip Mukherjee	Representative, Govt. of West Bengal	Virtual
9.	Shri Joram Muthu	Representative, Govt. of Arunachal Pradesh	Virtual
10.	Sh. Madan Singh Yadav	Regional Director & Convenor, ERC	Physical

2. The following State Government Representative could not attend the meeting:

SI. No.	Name of the Member	Designation
1.	Prof. Alok Kumar Banerjee	Member
2.	Prof. Shanti Ram Adhikari	Representative, Govt. of Sikkim
3.	Sh. Sarat Kumar Majhi	Representative, Govt. of Odisha
4.	Dr. Bashan D. M. Diengdoh	Representative, Govt of Meghalaya
5.	Shri M. Harekrishna	Representative, Govt. of Manipur
6.	Dr. Binodanand Jha	Representative, Govt. of Bihar
7.	Prof. Vanlalhruaii	Representative, Govt. of Mizoram
8.	Shri Om Prakash Tiwary	Representative, Govt. of Jharkhand
9.	Dr. Elizabeth Walling	Representative, Govt. of Nagaland

With the permission of the Chair, Sh. Madan Singh Yadav, Regional Director, ERC & Convener presented the agenda before the committee. Item-wise decision on each agenda is as under: -

SL No.	Application Code	Name & Address of the Institution
1.	2526202405032572	DIBRUGARH H. S. KANOI COLLEGE, KHALIHAMARI, K. C. GOGOI PATH, DIBRUGARH, DIBRUGARH, DIBRUGARH, ASSAM-786001
		A. MA

**Regional Director** 

(Dr. Dibyajyoti Mahanta) Chairperson, ERC

) (NU

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations, VT report of the institution and Guidelines issued by NCTE from time to time were considered by ERC. On the basis of observation in VT report, the Committee decided the following: -

The Committee considered the Visiting Team Report and decided that Letter of Intent (LOI) be issued to the institution under Clause 7 (13) of the NCTE Regulations, 2014 for the stream, stage and unit(s) as applied for, prior to grant of formal recognition

2.	SUREN DAS COLLEGE HAJO, NALBARI HAJO GUWAHATI ROAD,	l
2526202404242315	HAJO, HAJO, KAMRUP, ASSAM-781102	

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations, VT report of the institution and Guidelines issued by NCTE from time to time were considered by ERC. On the basis of observation in VT report, the Committee decided the following: -

The Committee considered the Visiting Team Report and decided that Letter of Intent (LOI) be issued to the institution under Clause 7 (13) of the NCTE Regulations, 2014 for the stream, stage and unit(s) as applied for, prior to grant of formal recognition

3.	2526202405022540	HEMO	DDOUL	DODDO				
		ILMU	PROVA	ROKRO	RA GIRI	LS COLI	LEGE, GO	LAGHAT.
		BENGEN	JAKHOWA	LAW	COLLEGE	ROAD	PADUMONI	DL OCK
		GOLAGI	HAT, GOLA	GHAT	ASSAM-784	5 ROAD,	FADUMONI	BLOCK,
				conner, a	100/11/1-70.	102		

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations, VT report of the institution and Guidelines issued by NCTE from time to time were considered by ERC. On the basis of observation in VT report, the Committee decided the following: -

- 1. Approved Site Plan was not Shown. Approved Plan of the complete building was not shown
- 2. Seating capacity in the library is for 42 students only.
- 3. Multi-purpose Hall is small.
- 4. Science Stream Laboratories and Humanities Stream Laboratories is not available
- 5. Accessible toilet is required.

In view of the above, the Committee has decided that Show Cause Notice after examine the VI report, be issued under section 14/15 of the NCTE Act, 1993 to the institution to submit reply within 21 days from the date of issue of show cause notice on the above deficiencies through online portal before passing rejection order on the above grounds.

4.	2526202405173000	DIRDUCADU	TININ (PROCESS)				
		DIDRUGARH	UNIVERSITY,	RAJABHETA,	NH	37.	DIBRUGARH
		DIBRUGARH,	DIBRUGARH, AS	SAM-786004		•	Dibite Onicit,

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations, VT report of the institution and Guidelines issued by NCTE from time to time were considered by ERC. On the basis of observation in VT report, the Committee decided the following: -

1. Inspection Division, NCTE constituted three members committee namely Dr. A. Palanisamy, Dr. Sudarshan, Mishra and Dr. Manoj Kumar. The VT was conducted on 25.02.2025 via Virtual Mode, Dr.

**Regional Director** 

(Dr. Dibyajyoti Mahanta) Chairperson, ERC Minutes of 361<sup>th</sup> (Virtual Emergent ) Meeting of ERC held on 11<sup>th</sup> March 2025

Sudarshan Mishra has given observation in the VT report that "not accepted – I was not present, I got the link to join at 04.30 p.m. but inspection was at 02.30 p.m. on the same day"

- 2. The Committee observed that both the Members (one Academician & one Architect) present during virtual inspection have given positive report (accepted).
- 3. Some of the members questioned the validity of the Virtual Inspection report an account of that one member was not present.
- 4. Accordingly, it was decided that clarification relating to validity of Virtual Report may be sought from HQ.

5.	2526202404272428	FAKIR MOHAN UNIVERSITY, BALASORE, GANESWARPUR, VYASA
		VIHAR, REMUNA, BALASORE, BALASORE, ODISHA-756019

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations, VT report of the institution and Guidelines issued by NCTE from time to time were considered by ERC. On the basis of observation in VT report, the Committee decided the following: -

- 1. No Multi-purpose Hall as such, only one hall of approx. hundred capacity. No reading room in the library.
- 2. Multi-purpose Hall, Humanities and Biology lab were not available.
- 3. Humanities Stream laboratories, Activity Cum Resource Center, Health and Physical Education Room is not available.
- 4. Fire Safety Certificate is not issued by the authority till the date.
- 5. Multipurpose hall which the institute was claiming not seems to be multipurpose hall having only capacity of 100 seats and area seems to be approx. 1000 sq ft.
- 6. Biology and Humanity Labs was not available in the building bu the institute was claming to have a new building of the University which is 8-9 km away from this Building which is not acceptable as per norms.
- 7. Library books and Journal are acceptable but no reading and sitting room was available.
- 8. Sports facilities and other extra-curricular facilities were not appropriate

In view of the above, the Committee has decided that Show Cause Notice after examine the VI report, be issued under section 14/15 of the NCTE Act, 1993 to the institution to submit reply within 21 days from the date of issue of show cause notice on the above deficiencies through online portal before passing rejection order on the above grounds.

 6.	2526202405203233	DRRKR COLLECE DURANICUDANA NATIONAL MATION	
0.	2020202100200200	DR.B.K.B COLLEGE, PURANIGUDAM, NATIONAL HIGHWAY 37,	
		BARHAMPUR, NAGAON, NAGAON, ASSAM-782141	

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations, VT report of the institution and Guidelines issued by NCTE from time to time were considered by ERC. On the basis of observation in VT report, the Committee decided the following: -

The Committee considered the Visiting Team Report and decided that Letter of Intent (LOI) be issued to the institution under Clause 7 (13) of the NCTE Regulations, 2014 for the stream, stage and unit(s) as applied for, prior to grant of formal recognition.

7.	2526202402201494	<b>RAVENSHAW UNIVERSITY CUTTACK ODISHA</b> CUTTACK, PILIGRIM ROAD, CUTTACK, CUTTACK, CUTTACK, ODISHA-753003

. .

**Regional Director** 

(Dr. Dibyajyoti Mahanta) Chairperson, ERC

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations, VT report of the institution and Guidelines issued by NCTE from time to time were considered by ERC. On the basis of observation in VT report, the Committee decided the following: -

The Committee considered the Visiting Team Report and decided that Letter of Intent (LOI) be issued to the institution under Clause 7 (13) of the NCTE Regulations, 2014 for the stream, stage and unit(s) as applied for, prior to grant of transition from B.A.B.Ed/B.Sc.B.Ed. to ITEP.

8. 2526202402271826 SAI NATH UNIVERSITY, ORMANJHI, CHANDW ORMANJHI, RANCHI, RANCHI, JHARKHAND-8352
---

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations, VT report of the institution and Guidelines issued by NCTE from time to time were considered by ERC. On the basis of observation in VT report, the Committee decided the following: -

The Committee considered the Visiting Team Report and decided that Letter of Intent (LOI) be issued to the institution under Clause 7 (13) of the NCTE Regulations, 2014 for the stream, stage and unit(s) as applied for, prior to grant of transition from B.A.B.Ed/B.Sc.B.Ed. to ITEP.

9	2526202402061058	
- 1	2020202402001038	ARUNACHAL UNIVERSITY OF STUDIES, DEOBEEL, NH-52, NAMSAI,
		NAMSAI, NAMSAI, ARUNACHAL PRADESH-792103
		THE ALL PRADESH-192103

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations and Guidelines issued by NCTE from time to time were considered by ERC and the Committee decided the following:

1. The virtual inspection of the institution was earlier decided on 14.01.2025 but the management of the institution could not participate due to administrative reasons in online inspection. Hence, online inspection of the institution be conducted again.

	10.		DIMORIA COLLEGE, HELAGOG, DIMORIA COLLEGE ROAD, KHETRI, SONAPUR, KAMRUP(M), CITY GUWAHATI/KAMRUP METROPOLITAN, ASSAM-782403	
--	-----	--	---	--

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations, reply of First SCN post VT of the institution and Guidelines issued by NCTE from time to time were considered by ERC. On the basis of reply of First SCN post VT submitted by the institution, the Committee observed the following: -

- 1. The institution has not submitted copy of Mutation Certificate, NEC, BCC and approved Building Plan issued from the Govt. Civil Authority.
- 2. The institution is required to submit Fire Safety Certificate issued by the Govt. Competent Authority.
- 3. Labs are small as per VT report.

In view of the above, the Committee has decided that Final Show Cause Notice after examine the VI report, be issued under section 14/15 of the NCTE Act, 1993 to the institution to submit reply within 15 days from

Regional Director

Dibyajyoti Mahanta) Chairperson, ERC

1

the date of issue of show cause notice on the above deficiencies through online portal before passing rejection order on the above grounds.

		2526202405183022	SHADATHAD COLLEGE SHADATHAD MARKED OF STREET
	•••	2020202400100022	SILAPATHAR COLLEGE, SILAPATHAR, MAIN ROAD SILAPATHAR,
1			
			SISSIBORGAON SILADATUAD DUEMAIL ARGANA 787060
			SISSIBORGAON, SILAPATHAR, DHEMAJI, ASSAM-787059

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations, reply of First SCN post VT of the institution and Guidelines issued by NCTE from time to time were considered by ERC. On the basis of reply of First SCN post VT submitted by the institution, the Committee observed the following: -

- 1. The size of Library -Cum Reading Room is less than NCTE Regulation.
- 2. The institution is required to submit Building Safety Certificate issued by the Govt. Competent Authority.
- 3. The institution has submitted Fire Safety Certificate but not for whole building. Hence, the institution is required to submit Fire Safety Certificate for whole building issued by the Govt. Competent Authority.
- 4. The institution is required to create adequate laboratory space in the institution.
- 5. Built-up area is less than NCTE Regulation.

In view of the above, the Committee has decided that Final Show Cause Notice after examine the VI report, be issued under section 14/15 of the NCTE Act, 1993 to the institution to submit reply within 15 days from the date of issue of show cause notice on the above deficiencies through online portal before passing rejection order on the above grounds.

12.	2526202404302490	NOWGONG GIRLS COLLEGE, NAGAON, NOWGONG GIRLS COLLEGE ROAD, KHAGARIJAN, NAGAON, NAGAON, ASSAM-782002	
-----	------------------	--	--

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations, reply of First SCN post VT of the institution and Guidelines issued by NCTE from time to time were considered by ERC. On the basis of reply of First SCN post VT submitted by the institution, the Committee observed the following: -

1. The institution is required to submit Building Plan issued by the Government Competent Authority.

In view of the above, the Committee has decided that Final Show Cause Notice after examine the VI report, be issued under section 14/15 of the NCTE Act, 1993 to the institution to submit reply within 15 days from the date of issue of show cause notice on the above deficiencies through online portal before passing rejection order on the above grounds.

13. 2526202405203207 SONARI COLLEGE, RAJABARI GRANT, SONARI, DHODAF PACHIM ABHOYPUR DEVELOPMENT BLOCK, SONARI, CHAR. ASSAM-785690	ALI, Ideo,
---	---------------

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations, reply of First SCN post VT of the institution and Guidelines issued by NCTE from time to time were considered by ERC. On the basis of reply of First SCN post VT submitted by the institution, the Committee observed the following: -

(

**Regional Director** 

(Dr. Đibyajyoti Mahanta) Chairperson, ERC

- 1. Multipurpose Hall is inadequate. Hence, the institution is required to create Multipurpose Hall size within all respect as per NCTE Regulation.
- 2. Health and Physical Education is not available in the institution
- 3. The institution is required to submit approved Building Plan with ear marked area for purposed course and existing course.
- 4. The institution is required to submit Fire Safety Certificate issued by the Govt. Competent Authority.

In view of the above, the Committee has decided that Final Show Cause Notice after examine the VI report, be issued under section 14/15 of the NCTE Act, 1993 to the institution to submit reply within 15 days from the date of issue of show cause notice on the above deficiencies through online portal before passing rejection order on the above grounds.

14	25262024020711 16	BAIDYANATH SHUKLA COLLEGE OF EDUCATION, MAJHAULI, JAGANPURA, VAISHALI, HAJIPUR, VAISHALI (HAJIPUR), BIHAR- 844123	
----	----------------------	---	--

The online application of the institution along with other documents attached were scrutinized on the basis of NCTE Act, 1993, Regulations, Guidelines issued by NCTE from time to time, order of the Appellate Authority. reply of institution were considered by ERC. On the basis of reply submitted by institution as per direction of the appeal committee, the Committee decided the following: -

- The institution has complied with the essential requirements for ITEP application. • •
- Virtual Inspection be conducted to verify the infrastructural and instructional facilities available in the

The meeting ended with vote of thanks to the Chair.

(Dr. Dibyajyoti Mahanta) Chairperson, ERC

**Regional Director**